

PAPILIO PANTHOUS.



CHARACTER GENERICUS.

Antennæ apicem versus crassiores, sæpius clavato-capitatae.

Alæ (sedentis) erectæ sursumque conniventes, (volatu diurno.)

Lin. Syst. Nat. p. 744.

CHARACTER SPECIFICUS, &c.

PAPILIO alis dentatis nigris concoloribus, primoribus albo maculatis; posticis maculis albis nigra foetis.


Lin. Syst. Nat. p. 748.

PAPILIO Amboinensis, &c.

Seb. mus. 4. t. 44. f. 22.

Papilionem Panthoum in vivario hoc nostro antea descripsimus. Ostenditur in tabula magnitudine naturali quæ hujus habetur esse femina, ex splendidissimo Sebæ opere desumpta, quæque fortasse omnes papiliones quos adhuc novimus magnitudine superat.





974
10



PANTHOUS.



GENERIC CHARACTER.

Antennæ commonly thickening towards the end into a clavated tip.

Wings (when at rest) meeting upwards. (Flight diurnal.)

SPECIFIC CHARACTER, &c.

Dusky Butterfly, with dentated wings spotted with white, the spots on the lower wings marked by a black patch.

The Great dusky Amboina Butterfly.

In this plate is exhibited, (from the work of Seba,) the supposed female of the *Papilio Panthous*, before represented in the present publication. The insect is shewn in its natural size, and may perhaps be considered as the largest of all the papilionaceous tribe.